Name:

Chapter 8: Chemical Reactions

Homework was checked against the key with wrong answers corrected.

Parent Signature: _____

Each numbered question is worth 1 point except as noted. Total possible = 42 points

Section 8.1

1. Write a skeleton equation for each chemical reaction. Include the appropriate symbols from Table 8.1 on page 206.

a. Sulfur burns in oxygen to form sulfur dioxide. [Write the equation using the most common solid allotrope of sulfur, $S_{8.}$]

b. Heating potassium chlorate in the presence of the catalyst manganese dioxide produces oxygen gas. Potassium chloride is left as a solid.

2. Write a sentence that describes each chemical reaction.

a.
$$\text{KOH}(aq) + \text{H}_2\text{SO}_4(aq) \rightarrow \text{H}_2\text{O}(l) + \text{K}_2\text{SO}_4(aq)$$

b. Na(s) + H₂O(l)
$$\rightarrow$$
 NaOH(aq) + H₂(g)

3. Balance each equation, using the rules for balancing equations provided on pages 208-209.

a.
$$AgNO_3 + H_2S \rightarrow Ag_2S + HNO_3$$

b.
$$MnO_2 + HCl \rightarrow MnCl_2 + H_2O + Cl_2$$

c.
$$Zn(OH)_2 + H_3PO_4 \rightarrow Zn_3(PO_4)_2 + H_2O_4$$

4. Rewrite these word equations as balanced chemical equations. (2)

a. hydrogen + sulfur \rightarrow hydrogen sulfide

b. iron(III) chloride + calcium hydroxide \rightarrow iron(III) hydroxide + calcium chloride

5. Balance the equation. $CO + Fe_2O_3 \rightarrow Fe + CO_2$ (0.5)

6. Write the balanced chemical equation for the reaction of carbon with oxygen to form carbon monoxide. (0.5)

7. Balance each equation. (1.5)

a. __FeCl₃ + __NaOH \rightarrow __Fe(OH)₃ + __NaCl b. __CS₂ + __Cl₂ \rightarrow __CCl₄ + __S₂Cl₂ c. __CH₄ + __Br₂ \rightarrow CH₃Br + __HBr

9. Write out balanced chemical equations for the following chemical reactions. Include the appropriate symbols from Table 8.1 on page 206. (3)

a. Pure copper can be produced by heating copper(II) sulfide in the presence of diatomic oxygen from the air. Sulfur dioxide gas is also produced in this reaction.

b. Water is formed by the explosive reaction between hydrogen gas and oxygen gas.

c. When baking soda (sodium hydrogen carbonate) is heated, it decomposes, forming the products sodium carbonate, carbon dioxide, and water.

10. Balance the following equations. (2)

a.
$$SO_2 + O_2 \rightarrow SO_3$$

b. $_Fe_2O_3 + _H_2 \rightarrow _Fe + _H_2O$

c. $P + O_2 \rightarrow P_4O_{10}$

d. __ Al + __ N₂ \rightarrow __ AlN

11. Write formulas and other symbols for these substances. (2)

- a. sulfur trioxide gas
- b. potassium nitrate dissolved in water
- c. heat supplied to a chemical reaction
- d. metallic copper
- e. liquid mercury
- f. zinc chloride as a catalyst

12. How is the law of conservation of mass related to the balancing of a chemical equation?

Section 8.2

- 13. Complete and balance these combination reactions.
 - a. <u>Be</u> + <u>O</u>₂ \rightarrow
 - b. $_SO_2 + _H_2O \rightarrow$
- 14. Write and balance an equation for the formation of each compound from its elements.
 - a. strontium iodide (SrI₂)
 - b. magnesium nitride (Mg_3N_2)
- 15. Complete and balance these decomposition reactions.
 - a. $_HI \rightarrow$ b. $_Mg(ClO_3)_2 \rightarrow _MgCl_2 +$

16. Write the formula for the binary compound that decomposes to each set of products.

a. $\rightarrow H_2 + Br_2$ b. $\rightarrow Na + Cl_2$

17. Complete the equations for these single-replacement reactions that take place in aqueous solution. If a reaction does not occur (use the activity series in Table 8.2, p. 217), write "no reaction." (1.5)

a. _ Fe(s) + _ Pb(NO₃)₂ (aq) \rightarrow b. _ Cl₂(g) + _ NaI(aq) \rightarrow c. _ Ca(s) + _ H₂O(l) \rightarrow

18. Write the products for these double-replacement reactions. Then balance each equation.

a. <u>NaOH</u> + <u>Fe(NO₃)</u> $_3 \rightarrow$

(Iron hydroxide is a precipitate)

b. Ba(NO₃)₂ + H₃PO₄
$$\rightarrow$$

(Barium phosphate is a precipitate.)

20. Write a balanced equation for the complete combustion of each compound.

```
a. formic acid (HCOOH)
```

b. heptane (C₇H₁₆)

21. Write a balanced equation for the complete combustion of glucose ($C_6H_{12}O_6$). (0.5)

24. What three types of products drive double-replacement reactions?

Section 8.3

25. Write balanced net ionic equations for each reaction. (3)

a. $Pb(ClO_4)_2(aq) + NaI(aq) \rightarrow PbI_2(s) + NaClO_4(aq)$

b. $Zn(s) + HCl(aq) \rightarrow ZnCl_2(aq) + H_2(g)$

c. Ca(OH)₂(aq) + H₃PO₄(aq)
$$\rightarrow$$
 Ca₃(PO₄)₂(aq) + H₂O(l)

26. Identify the precipitate formed when solutions of these ionic compounds are mixed. Write a net ionic equation.

 $NH_4Cl(aq) + Pb(NO_3)_2(aq) \rightarrow$

Section Review 8.3

29. Write a balanced net ionic equation for each reaction. (3)

a. HCl(aq) + AgNO₃(aq)
$$\rightarrow$$

b. $Pb(C_2H_3O_2)_2(aq) + LiCl(aq) \rightarrow$

c. Na₃PO₄(aq) + CrCl₃(aq) \rightarrow

30. Identify the spectator ions in each reaction in Problem 29.

a. b. c.

31. Identify the precipitate formed when solutions of these ionic compounds are mixed. (2)

- a. $H_2SO_4 + BaCl_2 \rightarrow$ b. $Al_2(SO_4)_3 + NH_4OH \rightarrow$
- c. AgNO₃ + H₂S \rightarrow

- d. $CaCl_2 + Pb(NO_3)_2 \rightarrow$
- e. $Ca(NO_3)_2 + Na_2CO_3 \rightarrow$

Chapter 8 Review

46. For each of the following pairs, predict which element as an atom would displace the other element as an ion from a compound in aqueous solution. (Section 8.2)

- a. iron and sodium
- b. silver and copper
- c. zinc and hydrogen (in HCl)

55. Write a balanced chemical equation for each reaction. Use the necessary symbols from Table 8.1 to describe the reaction completely. (6)

a. Bubbling chlorine gas through a solution of potassium iodide gives elemental iodine and a solution of potassium chloride.

b. Bubbles of hydrogen gas and aqueous iron(III) chloride are produced when metallic iron is dropped into hydrochloric acid.

c. Solid tetraphosphorus decoxide reacts with water to produce phosphoric acid.

d. Solid silver oxide can be heated to give silver and oxygen gas.

e. Iodine crystals react with chlorine gas to form solid iodine trichloride.

f. Mercury metal is produced by heating a mixture of mercury(II) sulfide and calcium oxide. Additional products are calcium sulfide and calcium sulfate.